

**STS Adult Cardiac Anesthesia  
Data Summary**

**Participant 99999  
STS Period Ending 12/31/2016**

	Participant 99999 2016	STS 2016
<b>Anesthesia Cases for Isolated CABG Procedures</b>		
<b>Demographic</b>		
Number of CABG Procedures .....		
Care Team Model		
Anesthesiologist Working Alone .....	-	-
Attending Anesthesiologists		
Teaching/Medically Directing		
Fellow .....	-	-
Attending Anesthesiologists		
Teaching/Medically Directing		
Residents .....	-	-
Attending Anesthesiologists Medically		
Directing CRNAs		
(1:4 ratio or less) .....	-	-
Attending Anesthesiologists Medically		
Directing CRNAs		
(1:5 ratio or less) .....	-	-
Surgeon Medically Directing CRNAs .....	-	-
CRNAs Practicing Independently .....	-	-
<i>Missing</i> .....	-	-
<b>Patient Baseline</b>		
Baseline Heart Rate		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
<i>Missing</i> .....	-	-

**STS Adult Cardiac Anesthesia  
Data Summary**

**Participant 99999  
STS Period Ending 12/31/2016**

	Participant 99999 2016	STS 2016
<b>Intra-operative Drugs</b>		
Interoperative Glucose		
Glucose Peak		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
Missing .....	-	-
Glucose Trough		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
Missing .....	-	-
Intraoperative Dexmedetomidine .....	-	-
Missing .....	-	-
Intraoperative Propofol .....	-	-
Missing .....	-	-
Intraoperative Midazolam Milligrams Used		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
Missing .....	-	-

**STS Adult Cardiac Anesthesia  
Data Summary**

**Participant 99999  
STS Period Ending 12/31/2016**

	Participant 99999 2016	STS 2016
<b>Intra-operative Fluids</b>		
Anesthesia Crystalloid Used		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
<i>Missing</i> .....	-	-
Perfusion Crystalloid Used		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
<i>Missing</i> .....	-	-
Anesthesia Total Albumin		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
<i>Missing</i> .....	-	-
Perfusion Total Albumin		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
<i>Missing</i> .....	-	-
Cell Saver Volume		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
<i>Missing</i> .....	-	-

**STS Adult Cardiac Anesthesia  
Data Summary**

**Participant 99999  
STS Period Ending 12/31/2016**

	Participant 99999 2016	STS 2016
<b>Intra-operative Monitors</b>		
Pulmonary Artery Catheter Used .....	-	-
<i>Missing</i> .....	-	-
Transesophageal Echocardiography		
Intra-operative TEE Use .....	-	-
<i>Missing</i> .....	-	-
Post-Procedure TEE Use .....	-	-
<i>Missing</i> .....	-	-
Pre-Procedure LVEF		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
<i>Missing</i> .....	-	-
Pre-Procedure RV Function .....	-	-
Normal .....	-	-
Mild Dysfunction .....	-	-
Moderate Dysfunction .....	-	-
Severe Dysfunction .....	-	-
<i>Missing</i> .....	-	-
Post-Procedure LVEF		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
<i>Missing</i> .....	-	-
Post-Procedure RV Function .....	-	-
Normal .....	-	-
Mild Dysfunction .....	-	-
Moderate Dysfunction .....	-	-
Severe Dysfunction .....	-	-
<i>Missing</i> .....	-	-

**STS Adult Cardiac Anesthesia  
Data Summary**

**Participant 99999  
STS Period Ending 12/31/2016**

	Participant 99999 2016	STS 2016
Return to CPB for Echo Related		
Diagnosis .....	-	-
Missing .....	-	-
<b>Postoperative</b>		
Core Temperature at ICU Admission		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
<i>Missing</i> .....	-	-
Pain Score on POD #3		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
<i>Missing</i> .....	-	-
Post-Operative Heparin Induced		
Thrombocytopenia .....	-	-
<i>Missing</i> .....	-	-

**STS Adult Cardiac Anesthesia  
Data Summary**

**Participant 99999  
STS Period Ending 12/31/2016**

	Participant 99999 2016	STS 2016
<b>Anesthesia Cases for Valve Procedures</b>		
<b>Demographic</b>		
Number of Valve Procedures .....		
Care Team Model		
Anesthesiologist Working Alone .....	-	-
Attending Anesthesiologists		
Teaching/Medically Directing		
Fellow .....	-	-
Attending Anesthesiologists		
Teaching/Medically Directing		
Residents .....	-	-
Attending Anesthesiologists Medically		
Directing CRNAs		
(1:4 ratio or less) .....	-	-
Attending Anesthesiologists Medically		
Directing CRNAs		
(1:5 ratio or less) .....	-	-
Surgeon Medically Directing CRNAs .....	-	-
CRNAs Practicing Independently .....	-	-
<i>Missing</i> .....	-	-
<b>Patient Baseline</b>		
Baseline Heart Rate		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
<i>Missing</i> .....	-	-

**STS Adult Cardiac Anesthesia  
Data Summary**

**Participant 99999  
STS Period Ending 12/31/2016**

	Participant 99999 2016	STS 2016
<b>Intra-operative Drugs</b>		
Interoperative Glucose		
Glucose Peak		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
Missing .....	-	-
Glucose Trough		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
Missing .....	-	-
Intraoperative Dexmedetomidine .....	-	-
Missing .....	-	-
Intraoperative Propofol .....	-	-
Missing .....	-	-
Intraoperative Midazolam Milligrams Used		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
Missing .....	-	-

**STS Adult Cardiac Anesthesia  
Data Summary**

**Participant 99999  
STS Period Ending 12/31/2016**

	Participant 99999 2016	STS 2016
<b>Intra-operative Fluids</b>		
Anesthesia Crystalloid Used		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
Missing .....	-	
Perfusion Crystalloid Used		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
Missing .....	-	
Anesthesia Total Albumin		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
Missing .....	-	
Perfusion Total Albumin		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
Missing .....	-	
Cell Saver Volume		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
Missing .....	-	

**STS Adult Cardiac Anesthesia  
Data Summary**

**Participant 99999  
STS Period Ending 12/31/2016**

	Participant 99999 2016	STS 2016
<b>Intra-operative Monitors</b>		
Pulmonary Artery Catheter Used .....	-	-
<i>Missing</i> .....	-	-
Transesophageal Echocardiography		
Intra-operative TEE Use .....	-	-
<i>Missing</i> .....	-	-
Post-Procedure TEE Use .....	-	-
<i>Missing</i> .....	-	-
Pre-Procedure LVEF		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
<i>Missing</i> .....	-	-
Pre-Procedure RV Function .....	-	-
Normal .....	-	-
Mild Dysfunction .....	-	-
Moderate Dysfunction .....	-	-
Severe Dysfunction .....	-	-
<i>Missing</i> .....	-	-
Post-Procedure LVEF		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
<i>Missing</i> .....	-	-
Post-Procedure RV Function .....	-	-
Normal .....	-	-
Mild Dysfunction .....	-	-
Moderate Dysfunction .....	-	-
Severe Dysfunction .....	-	-
<i>Missing</i> .....	-	-

**STS Adult Cardiac Anesthesia  
Data Summary**

**Participant 99999  
STS Period Ending 12/31/2016**

	Participant 99999 2016	STS 2016
Return to CPB for Echo Related		
Diagnosis .....	-	-
Missing .....	-	-
<b>Postoperative</b>		
Core Temperature at ICU Admission		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
<i>Missing</i> .....	-	-
Pain Score on POD #3		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
<i>Missing</i> .....	-	-
Post-Operative Heparin Induced		
Thrombocytopenia .....	-	-
<i>Missing</i> .....	-	-

**STS Adult Cardiac Anesthesia  
Data Summary**

**Participant 99999  
STS Period Ending 12/31/2016**

	Participant 99999 2016	STS 2016
<b>Anesthesia Cases for CABG + Valve Procedures</b>		
<b>Demographic</b>		
Number of CABG + Valve Procedures .....		
Care Team Model		
Anesthesiologist Working Alone .....	-	-
Attending Anesthesiologists		
Teaching/Medically Directing		
Fellow .....	-	-
Attending Anesthesiologists		
Teaching/Medically Directing		
Residents .....	-	-
Attending Anesthesiologists Medically		
Directing CRNAs		
(1:4 ratio or less) .....	-	-
Attending Anesthesiologists Medically		
Directing CRNAs		
(1:5 ratio or less) .....	-	-
Surgeon Medically Directing CRNAs .....	-	-
CRNAs Practicing Independently .....	-	-
<i>Missing</i> .....	-	-
<b>Patient Baseline</b>		
Baseline Heart Rate		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
<i>Missing</i> .....	-	-

**STS Adult Cardiac Anesthesia  
Data Summary**

**Participant 99999  
STS Period Ending 12/31/2016**

	Participant 99999 2016	STS 2016
<b>Intra-operative Drugs</b>		
Interoperative Glucose		
Glucose Peak		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
<i>Missing</i> .....	-	-
Glucose Trough		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
<i>Missing</i> .....	-	-
Intraoperative Dexmedetomidine .....	-	-
<i>Missing</i> .....	-	-
Intraoperative Propofol .....	-	-
<i>Missing</i> .....	-	-
Intraoperative Midazolam Milligrams Used		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
<i>Missing</i> .....	-	-

**STS Adult Cardiac Anesthesia  
Data Summary**

**Participant 99999  
STS Period Ending 12/31/2016**

	Participant 99999 2016	STS 2016
<b>Intra-operative Fluids</b>		
Anesthesia Crystalloid Used		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
Missing .....	-	
Perfusion Crystalloid Used		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
Missing .....	-	
Anesthesia Total Albumin		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
Missing .....	-	
Perfusion Total Albumin		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
Missing .....	-	
Cell Saver Volume		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
Missing .....	-	

**STS Adult Cardiac Anesthesia  
Data Summary**

**Participant 99999  
STS Period Ending 12/31/2016**

	Participant 99999 2016	STS 2016
<b>Intra-operative Monitors</b>		
Pulmonary Artery Catheter Used .....	-	-
<i>Missing</i> .....	-	-
Transesophageal Echocardiography		
Intra-operative TEE Use .....	-	-
<i>Missing</i> .....	-	-
Post-Procedure TEE Use .....	-	-
<i>Missing</i> .....	-	-
Pre-Procedure LVEF		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
<i>Missing</i> .....	-	-
Pre-Procedure RV Function .....	-	-
Normal .....	-	-
Mild Dysfunction .....	-	-
Moderate Dysfunction .....	-	-
Severe Dysfunction .....	-	-
<i>Missing</i> .....	-	-
Post-Procedure LVEF		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
<i>Missing</i> .....	-	-
Post-Procedure RV Function .....	-	-
Normal .....	-	-
Mild Dysfunction .....	-	-
Moderate Dysfunction .....	-	-
Severe Dysfunction .....	-	-
<i>Missing</i> .....	-	-

**STS Adult Cardiac Anesthesia  
Data Summary**

**Participant 99999  
STS Period Ending 12/31/2016**

	Participant 99999 2016	STS 2016
Return to CPB for Echo Related		
Diagnosis .....	-	-
Missing .....	-	-
<b>Postoperative</b>		
Core Temperature at ICU Admission		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
<i>Missing</i> .....	-	-
Pain Score on POD #3		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
<i>Missing</i> .....	-	-
Post-Operative Heparin Induced		
Thrombocytopenia .....	-	-
<i>Missing</i> .....	-	-

**STS Adult Cardiac Anesthesia  
Data Summary**

**Participant 99999  
STS Period Ending 12/31/2016**

	Participant 99999 2016	STS 2016
<b>Anesthesia Cases for Other Procedures</b>		
<b>Demographic</b>		
Number of Other Procedures .....		
Care Team Model		
Anesthesiologist Working Alone .....	-	-
Attending Anesthesiologists		
Teaching/Medically Directing		
Fellow .....	-	-
Attending Anesthesiologists		
Teaching/Medically Directing		
Residents .....	-	-
Attending Anesthesiologists Medically		
Directing CRNAs		
(1:4 ratio or less) .....	-	-
Attending Anesthesiologists Medically		
Directing CRNAs		
(1:5 ratio or less) .....	-	-
Surgeon Medically Directing CRNAs .....	-	-
CRNAs Practicing Independently .....	-	-
<i>Missing</i> .....	-	-
<b>Patient Baseline</b>		
Baseline Heart Rate		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
<i>Missing</i> .....	-	-

**STS Adult Cardiac Anesthesia  
Data Summary**

**Participant 99999  
STS Period Ending 12/31/2016**

	Participant 99999 2016	STS 2016
<b>Intra-operative Drugs</b>		
Interoperative Glucose		
Glucose Peak		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
Missing .....	-	-
Glucose Trough		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
Missing .....	-	-
Intraoperative Dexmedetomidine .....	-	-
Missing .....	-	-
Intraoperative Propofol .....	-	-
Missing .....	-	-
Intraoperative Midazolam Milligrams Used		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
Missing .....	-	-

**STS Adult Cardiac Anesthesia  
Data Summary**

**Participant 99999  
STS Period Ending 12/31/2016**

	Participant 99999 2016	STS 2016
<b>Intra-operative Fluids</b>		
Anesthesia Crystalloid Used		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
Missing .....	-	-
Perfusion Crystalloid Used		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
Missing .....	-	-
Anesthesia Total Albumin		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
Missing .....	-	-
Perfusion Total Albumin		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
Missing .....	-	-
Cell Saver Volume		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
Missing .....	-	-

**STS Adult Cardiac Anesthesia  
Data Summary**

**Participant 99999  
STS Period Ending 12/31/2016**

	Participant 99999 2016	STS 2016
<b>Intra-operative Monitors</b>		
Pulmonary Artery Catheter Used .....	-	-
<i>Missing</i> .....	-	-
Transesophageal Echocardiography		
Intra-operative TEE Use .....	-	-
<i>Missing</i> .....	-	-
Post-Procedure TEE Use .....	-	-
<i>Missing</i> .....	-	-
Pre-Procedure LVEF		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
<i>Missing</i> .....	-	-
Pre-Procedure RV Function .....	-	-
Normal .....	-	-
Mild Dysfunction .....	-	-
Moderate Dysfunction .....	-	-
Severe Dysfunction .....	-	-
<i>Missing</i> .....	-	-
Post-Procedure LVEF		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
<i>Missing</i> .....	-	-
Post-Procedure RV Function .....	-	-
Normal .....	-	-
Mild Dysfunction .....	-	-
Moderate Dysfunction .....	-	-
Severe Dysfunction .....	-	-
<i>Missing</i> .....	-	-

**STS Adult Cardiac Anesthesia  
Data Summary**

**Participant 99999  
STS Period Ending 12/31/2016**

	Participant 99999 2016	STS 2016
Return to CPB for Echo Related		
Diagnosis .....	-	-
Missing .....	-	-
<b>Postoperative</b>		
Core Temperature at ICU Admission		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
<i>Missing</i> .....	-	-
Pain Score on POD #3		
Mean .....		
Median .....		
25th Percentile .....		
75th Percentile .....		
<i>Missing</i> .....	-	-
Post-Operative Heparin Induced		
Thrombocytopenia .....	-	-
<i>Missing</i> .....	-	-